

# ANALYTICAL RESULTS

## STANDARD DELIVERABLES FORMAT

APL WORK ORDER NUMBER: 23B0156

EnviroVision Consultants, Inc.

Project: El Mundo Del Nino



Brian Wood  
Laboratory Director

All Results meet the requirements of the National Environmental Laboratory Accreditation Conference and/or  
State specific certifications as applicable.

Report Date: Feb 10, 2023

## Analytical Results Summary

**El Mundo Del Nino**  
**23B0156-01 (Drinking Water)**

**Multi-purpose Room**

<b>Collected</b> 02/03/2023 06:10	<b>Received</b> 02/03/2023 11:05	<b>Contact</b> Jordan Prysko
--------------------------------------	-------------------------------------	---------------------------------

Lab Section/ Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
<b>Total Metals</b>								
Copper	EPA 200.8	02/07/23 16:53	02/07/23 16:53	0.00392		0.0000819	0.00200	mg/L
Lead	EPA 200.8	02/07/23 16:53	02/07/23 16:53	0.00352		0.000137	0.00200	mg/L

### FootNotes

RL - Reporting limit  
MDL - Minimum detection limit  
ND, U - Indicates compound analyzed for but not detected  
J - Indicates estimated value

B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard  
D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns  
H - Indicates a Hold Time violation  
D1 - Sample was Decanted (Dissolved)

## Analytical Results Summary

**El Mundo Del Nino**  
**23B0156-02 (Drinking Water)**

**Classrom 3 Sink**

<b>Collected</b> 02/03/2023 06:11	<b>Received</b> 02/03/2023 11:05	<b>Contact</b> Jordan Prysko
--------------------------------------	-------------------------------------	---------------------------------

Lab Section/ Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
<b>Total Metals</b>								
Copper	EPA 200.8	02/07/23 17:00	02/07/23 17:00	0.0130		0.0000819	0.00200	mg/L
Lead	EPA 200.8	02/07/23 17:00	02/07/23 17:00	0.000665		0.000137	0.00200	mg/L

### FootNotes

RL - Reporting limit  
MDL - Minimum detection limit  
ND, U - Indicates compound analyzed for but not detected  
J - Indicates estimated value

B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard  
D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns  
H - Indicates a Hold Time violation  
D1 - Sample was Decanted (Dissolved)

## Analytical Results Summary

**El Mundo Del Nino**  
**23B0156-03 (Drinking Water)**

**Classrom 1 Sink**

<b>Collected</b> 02/03/2023 06:13	<b>Received</b> 02/03/2023 11:05	<b>Contact</b> Jordan Prysko
--------------------------------------	-------------------------------------	---------------------------------

Lab Section/ Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
<b>Total Metals</b>								
Copper	EPA 200.8	02/07/23 17:03	02/07/23 17:03	0.0138		0.0000819	0.00200	mg/L
Lead	EPA 200.8	02/07/23 17:03	02/07/23 17:03	0.000260		0.000137	0.00200	mg/L

### FootNotes

RL - Reporting limit  
MDL - Minimum detection limit  
ND, U - Indicates compound analyzed for but not detected  
J - Indicates estimated value

B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard  
D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns  
H - Indicates a Hold Time violation  
D1 - Sample was Decanted (Dissolved)

## Analytical Results Summary

**El Mundo Del Nino**  
**23B0156-04 (Drinking Water)**

**Classrom 4 Sink**

<b>Collected</b> 02/03/2023 06:16	<b>Received</b> 02/03/2023 11:05	<b>Contact</b> Jordan Prysko
--------------------------------------	-------------------------------------	---------------------------------

Lab Section/ Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
<b>Total Metals</b>								
Copper	EPA 200.8	02/07/23 17:05	02/07/23 17:05	0.0102		0.0000819	0.00200	mg/L
Lead	EPA 200.8	02/07/23 17:05	02/07/23 17:05	0.000172		0.000137	0.00200	mg/L

### FootNotes

RL - Reporting limit  
MDL - Minimum detection limit  
ND, U - Indicates compound analyzed for but not detected  
J - Indicates estimated value

B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard  
D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns  
H - Indicates a Hold Time violation  
D1 - Sample was Decanted (Dissolved)

## Analytical Results Summary

**El Mundo Del Nino**  
**23B0156-05 (Drinking Water)**

**Classrom 2 Sink**

<b>Collected</b> 02/03/2023 06:18	<b>Received</b> 02/03/2023 11:05	<b>Contact</b> Jordan Prysko
--------------------------------------	-------------------------------------	---------------------------------

Lab Section/ Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
<b>Total Metals</b>								
Copper	EPA 200.8	02/07/23 17:08	02/07/23 17:08	0.0220		0.0000819	0.00200	mg/L
Lead	EPA 200.8	02/07/23 17:08	02/07/23 17:08	0.000295		0.000137	0.00200	mg/L

### FootNotes

RL - Reporting limit  
MDL - Minimum detection limit  
ND, U - Indicates compound analyzed for but not detected  
J - Indicates estimated value

B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard  
D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns  
H - Indicates a Hold Time violation  
D1 - Sample was Decanted (Dissolved)

## Analytical Results Summary

**El Mundo Del Nino**  
**23B0156-06 (Drinking Water)**

**Girls Bath Left Sink**

<b>Collected</b> 02/03/2023 06:20	<b>Received</b> 02/03/2023 11:05	<b>Contact</b> Jordan Prysko
--------------------------------------	-------------------------------------	---------------------------------

Lab Section/ Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
<b>Total Metals</b>								
Copper	EPA 200.8	02/07/23 17:10	02/07/23 17:10	0.0560		0.0000819	0.00200	mg/L
Lead	EPA 200.8	02/07/23 17:10	02/07/23 17:10	0.00116		0.000137	0.00200	mg/L

### FootNotes

RL - Reporting limit  
MDL - Minimum detection limit  
ND, U - Indicates compound analyzed for but not detected  
J - Indicates estimated value

B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard  
D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns  
H - Indicates a Hold Time violation  
D1 - Sample was Decanted (Dissolved)

## Analytical Results Summary

**El Mundo Del Nino**  
**23B0156-07 (Drinking Water)**

**Girls Bath Right Sink**

<b>Collected</b> 02/03/2023 06:21	<b>Received</b> 02/03/2023 11:05	<b>Contact</b> Jordan Prysko
--------------------------------------	-------------------------------------	---------------------------------

Lab Section/ Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
<b>Total Metals</b>								
Copper	EPA 200.8	02/07/23 17:13	02/07/23 17:13	0.0551		0.0000819	0.00200	mg/L
Lead	EPA 200.8	02/07/23 17:13	02/07/23 17:13	0.00142		0.000137	0.00200	mg/L

### FootNotes

RL - Reporting limit  
MDL - Minimum detection limit  
ND, U - Indicates compound analyzed for but not detected  
J - Indicates estimated value

B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard  
D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns  
H - Indicates a Hold Time violation  
D1 - Sample was Decanted (Dissolved)

## Analytical Results Summary

**El Mundo Del Nino**  
**23B0156-08 (Drinking Water)**

**Boys Bath Left Sink**

<b>Collected</b> 02/03/2023 06:23	<b>Received</b> 02/03/2023 11:05	<b>Contact</b> Jordan Prysko
--------------------------------------	-------------------------------------	---------------------------------

Lab Section/ Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
<b>Total Metals</b>								
Copper	EPA 200.8	02/07/23 17:15	02/07/23 17:15	0.0559		0.0000819	0.00200	mg/L
Lead	EPA 200.8	02/07/23 17:15	02/07/23 17:15	0.000649		0.000137	0.00200	mg/L

### FootNotes

RL - Reporting limit  
MDL - Minimum detection limit  
ND, U - Indicates compound analyzed for but not detected  
J - Indicates estimated value

B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard  
D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns  
H - Indicates a Hold Time violation  
D1 - Sample was Decanted (Dissolved)

## Analytical Results Summary

**El Mundo Del Nino**  
**23B0156-09 (Drinking Water)**

**Boys Bath Right Sink**

<b>Collected</b> 02/03/2023 06:25	<b>Received</b> 02/03/2023 11:05	<b>Contact</b> Jordan Prysko
--------------------------------------	-------------------------------------	---------------------------------

Lab Section/ Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
<b>Total Metals</b>								
Copper	EPA 200.8	02/07/23 17:18	02/07/23 17:18	0.0538		0.0000819	0.00200	mg/L
Lead	EPA 200.8	02/07/23 17:18	02/07/23 17:18	0.000599		0.000137	0.00200	mg/L

### FootNotes

RL - Reporting limit  
MDL - Minimum detection limit  
ND, U - Indicates compound analyzed for but not detected  
J - Indicates estimated value

B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard  
D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns  
H - Indicates a Hold Time violation  
D1 - Sample was Decanted (Dissolved)

## Analytical Results Summary

**El Mundo Del Nino**  
**23B0156-10 (Drinking Water)**

Blank

<b>Collected</b> 02/03/2023 06:27	<b>Received</b> 02/03/2023 11:05	<b>Contact</b> Jordan Prysko
--------------------------------------	-------------------------------------	---------------------------------

Lab Section/ Analysis	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
<b>Total Metals</b>								
Copper	EPA 200.8	02/07/23 17:20	02/07/23 17:20	0.000172		0.0000819	0.00200	mg/L
Lead	EPA 200.8	02/07/23 17:20	02/07/23 17:20	ND	U	0.000137	0.00200	mg/L

### FootNotes

RL - Reporting limit  
MDL - Minimum detection limit  
ND, U - Indicates compound analyzed for but not detected  
J - Indicates estimated value

B - Indicates compound found in associated blank  
E - Concentration exceeds highest calibration standard  
D - Indicates result is based on a dilution  
P - Greater than 25% diff. between 2 GC columns  
H - Indicates a Hold Time violation  
D1 - Sample was Decanted (Dissolved)

**APL**

AQUA PRO-TECH LABORATORIES

**APL 23B0156**

AQUA PRO-TECH LABORATORIES



www.aquaprotechlabs.com

## Contamination Level

☐ Low  
☐ Medium  
☐ High
**CHAIN OF CUSTODY**

Page 1 of 1

Client: <u>Envirovision Consultants, Inc</u>	Send Report To: <u>info@envirovisionconsultants.com</u>
Address: <u>20-21 Wagonway Rd</u>	Address: <u>Same</u>
<u>Bldg 3FE, Fair Lawn, NJ</u>	<u>Same</u>
Phone: <u>973-636-9145</u>	Phone: <u>Same</u>
E-Mail: <u>info@envirovisionconsultants.com</u>	Send Invoice To: <u>info@envirovisionconsultants.com</u>
Project Name: <u>El Mundo Del Nino</u>	Address: <u>433-435 Main St, Paterson, NJ</u>
Project Manager: <u>Jordan Pysko</u>	Sampling Location: <u>Same</u>
Project or PO #: <u>23-043</u>	Sampled By: <u>Jordan Pysko</u>

## Turn-Around Time

☐ APL Standard 2 Weeks  
☐ Rush (Choose One Below)  
☐ 1 Day ☐ 2 Days ☐ 3 Days  
☒ 1 Week ☐ Other (Specify Below)

Date and Time Required: \_\_\_\_\_

\*\*May Need Lab Approval

## Report / Electronic Format

<input type="checkbox"/> Results Only / NY ASP-A	<input type="checkbox"/> Excel Summary
<input type="checkbox"/> Reduced: NJ DEP	<input type="checkbox"/> EqUIS
<input type="checkbox"/> Full: NJ DEP / NY ASP-B	<input type="checkbox"/> EnviroData
<input type="checkbox"/> State Forms/E2 Reporting	<input type="checkbox"/> Hazsite EDD

PWSID # \_\_\_\_\_

SRP# \_\_\_\_\_

Comments/Special Instructions:

Preservative to be added by lab.

Cooler Temp:

4.8

**ANALYSIS REQUESTED**

APL Order # (APL Will Provide)		Matrix Abbreviations:				Sample Type		No. of Bottles	Preservative	See Comments	ANALYSIS REQUESTED									
23B0156		DW - Drinking Water GW - Groundwater WW - Wastewater SW - Surface Water	L - Lake Pool SPA	S - Soil SD - Solid SL - Sludge C - Concrete	W - Wipes O - Oil PC - Paint Chips	Grab	Comp													
Sample #	Sample Source: Field ID	Collect Date	Collect Time	Matrix	Grab	Comp	No. of Bottles	Preservative	See Comments											
01	1 MULTI-PURPOSE ROOM	2/13/23	0610	DW	✓		1	N/A		X										
02	2 CLASSROOM 3 SINK		0611		✓		1			X										
03	3 CLASS ROOM 2 SINK		0613		✓		1			X										
04	4 CLASS ROOM 1 SINK		0616		✓		1			X										
05	5 CLASS ROOM 2 SINK		0618		✓		1			Y										
06	6 GIRLS BATH LEFT SINK		0620		✓		1			X										
07	7 GIRLS BATH RIGHT SINK		0621		✓		1			X										
08	8 BOYS BATH LEFT SINK		0623		✓		1			X										
09	9 BOYS BATH RIGHT SINK		0625		✓		1			X										
10	10 BLANK		0627		✓		1		✓	X										

RELINQUISHED BY: \_\_\_\_\_

Print: Jordan PyskoSign: J Pysko

RECEIVED BY: \_\_\_\_\_

Print: Rose NapSign: R NapDate: 2/13/23Time: 1105

RELINQUISHED BY: \_\_\_\_\_

Print: \_\_\_\_\_

Sign: \_\_\_\_\_

RECEIVED BY: \_\_\_\_\_

Print: \_\_\_\_\_

Sign: \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

RELINQUISHED BY: \_\_\_\_\_

Print: \_\_\_\_\_

Sign: \_\_\_\_\_

RECEIVED BY: \_\_\_\_\_

Print: \_\_\_\_\_

Sign: \_\_\_\_\_

Date: \_\_\_\_\_

Time: \_\_\_\_\_

CERTIFICATIONS: NELAP (National Environmental Accreditation Program) NJDEP #07010 PADEP #68-02903 NYDOH #11634

By signing this Chain of Custody Agreement, customer expressly agrees to pay APL for all charges, reasonably incurred in connection with analysis and reporting for these samples.